Printed: 05/29/2025 Form Approved OMB No. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 225437	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 07/26/2024
NAME OF PROVIDER OR SUPPLI Briarwood Rehabilitation & Healthe		STREET ADDRESS, CITY, STATE, ZI 150 Lincoln Street Needham, MA 02492	P CODE
For information on the nursing home's	plan to correct this deficiency, please con	tact the nursing home or the state survey a	agency.
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
F 0578 Level of Harm - Minimal harm or potential for actual harm Residents Affected - Few	 participate in experimental researce **NOTE- TERMS IN BRACKETS F Based on interview and record revision followed-up on for one Resident (# the wishes for Do Not Resuscitate Findings include: Review of the facility's policy titled -Do Not Resuscitate (DNR)- indication guardian, health care proxy, or reporter life-sustaining treatments or restaff will offer assistance in establist Resident #44 was admitted to the fidementia. Review of the Minimum Data Set (I of 15 on the Brief Interview for Mer Review of the medical record for R -Decree and Order of Appointment members were co-guardians. A portion guardian does NOT have authorization of Life-Sustaining Treatment), Resident Jackson Supervisioner (Jackson Supervisioner) 	dicates that he/she has not established shing advanced directives. facility in February 2024 with diagnoses MDS) assessment, dated [DATE], indic ntal Status (BIMS) indicating the Reside esident #44 included the following: to f Guardianship for an incapacitated p st-it note on the guardianship paperwo ation for Advanced Directives, no MOLS	re. ONFIDENTIALITY** 36542 ed directives were reviewed and ifically, the facility failed to ensure d for Resident #44. in [DATE], indicated the following: ac failure, the resident, legal pulmonary resuscitation (CPR) or d advanced directives, the facility s including a history of a stroke and cated Resident #44 scored a 0 out ent had severe cognitive impairment. werson indicating three family rk indicated Guardianship in place, ST (Massachusetts Medical Orders 44 was a DNR. The title of the

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE TITLE

Facility ID: 225437

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 225437	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 07/26/2024
NAME OF PROVIDER OR SUPPLIE	ER	STREET ADDRESS, CITY, STATE, Z	
Briarwood Rehabilitation & Healtho	are Center	150 Lincoln Street Needham, MA 02492	
For information on the nursing home's	plan to correct this deficiency, please cont	l tact the nursing home or the state survey	agency.
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
F 0578 Level of Harm - Minimal harm or potential for actual harm Residents Affected - Few	 additional note indicating enclosed During an interview on [DATE] at 11 with his spouse and child. He said I graduated from hospice services be said he believed he had discussed DNR form. During an interview on [DATE] at 4: Resident #44. She said Social Work form. During an interview on [DATE] at 4: Resident #44. She said Social Worker #2 guardianship to include advanced conflict regans aid she thought Social Worker #2 guardianship to include advanced conformation from Social Worker #2 guardianship to include advanced conformation from Social Worker #2 guardianship to include advanced conformation from Social Worker #2 guardianship to include advanced conformation from Social Worker #2 guardianship to include advanced conformation from Social Worker #2 guardianship to include advanced conformation from Social Worker #2 guardianship to include advanced conformation from Social Worker #2 guardianship to include advanced conformation from Social Worker #2 guardianship to include advanced conformation from Social Worker #2 guardianship to include advanced conformation from Social Worker #2 guardianship to include advanced time the gradient #44 is a full code directives. [DATE]: Social Worker inquired abore [DATE]: Social Worker spoke with go court approval for the antipsychotic to the facility attorney to assist with [DATE]: new medical certificate ser The medical record did not indicate here was thought the family was actively pure During an interview on [DATE] at 10 documentation to indicate there was thought the family was actively pure During an interview on [DATE] at 11 had been working on the expansior antipsychotic treatment plan and th include advanced directives. She satistical participant for the antipsychotic treatment plan and th include advanced directives. 	0:30 A.M., the brother of Resident #44 Resident #44 had a history of being on ut had continued to have advanced dir this with the facility and the previous li :30 P.M., Social Worker #1 said she w ker #2 was the assigned Social Worke her has been appointed the legal gua tus (full code versus DNR). She said s had reviewed this and the court had bu firectives. She said she would review t for documentation to support that the w ess Notes indicated the following: status as the guardianship does not in put treatment plan for use of antipsych- guardian about extending the authority treatment plan. btic monitor missed court hearing on [E treatment plan approval. int for treatment plan court date of [DAT the Social Worker had reviewed what	said he was the guardian along hospice service and had ectives of Do Not Resuscitate. He ving residence had sent over the as not the regular Social Worker for r but was not available. She said in rdian, they have the authority to he believed the three co-guardians y Resident #44 was a full code. She een petitioned to expand the he medical record and any vishes for changes to the code nclude authorization for advanced otics. to admit to a nursing home and the DATE]. Social Worker referred case TE]. , if any, legal pursuits would be was unable to locate any reen the guardians. She said she clude advanced directives. contacted the family's attorney who a nursing home and the on the expansion of guardianship to ought Resident was a DNR as

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 225437	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 07/26/2024
NAME OF PROVIDER OR SUPPLIE	R	STREET ADDRESS, CITY, STATE, ZI	P CODE
Briarwood Rehabilitation & Healthc	are Center	150 Lincoln Street Needham, MA 02492	
For information on the nursing home's	plan to correct this deficiency, please con	l tact the nursing home or the state survey a	agency.
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
E 0.579		OFE A M. Contained Harrister	
F 0578 Level of Harm - Minimal harm or potential for actual harm	During an interview on [DATE] at 10:55 A.M., Social Worker #1 said she had reviewed all hospital admission paperwork, guardianship paperwork, and progress notes and could not see any information to indicate the facility had pursued changing the code status of Resident #44, as indicated by the wishes of the family.		
Residents Affected - Few			

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 225437	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 07/26/2024
NAME OF PROVIDER OR SUPPLIER Briarwood Rehabilitation & Healthcare Center		STREET ADDRESS, CITY, STATE, ZI 150 Lincoln Street	P CODE
Bharwood Renabilitation a Fieldaria		Needham, MA 02492	
For information on the nursing home's	plan to correct this deficiency, please con	tact the nursing home or the state survey a	agency.
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
F 0658	Ensure services provided by the nursing facility meet professional standards of quality.		
Level of Harm - Minimal harm or potential for actual harm	**NOTE- TERMS IN BRACKETS HAVE BEEN EDITED TO PROTECT CONFIDENTIALITY** 41106		
Residents Affected - Some		and policy review, the facility failed to f ad #211), out of a total sample of 23 res	
	1. For Resident #261, to monitor the Resident's right upper extremity Peripherally Inserted Central Catheter (PICC-a thin flexible tube inserted into a vein in the upper arm and guided into a large vein above the right side of the heart called the superior vena cava (SVC) insertion site for signs/symptoms of infection in accordance with the physician's order; and		
		e Resident's medications that should no hysician's order, pharmacy label, and i	
	Findings include:		
		ard of Registration in Nursing Advisory ad as revised July 10, 2002, indicated:	Ruling on Nursing Practice,
	-Nurse's Responsibility and Accountability: Licensed nurses accept, verify, transcribe, and implement orders from duly authorized prescribers that are received by a variety of methods (i.e., written, verbal/telephone, standing orders/protocols, pre-printed order sets, electronic) in emergent and non-emergent situations.		
	-Licensed nurses in a management role must ensure an infrastructure is in place, consistent with current standards of care, to minimize error.		
	Review of the facility's policy titled Central Venous Catheter Care and Dressing Changes, revised March 2022, indicated but was not limited to the following:		
	-Apply sterile dressing		
	a. Center the dressing over the inse	ertion site.	
	b. Starting at the catheter, smooth	dressing outward toward the edges to r	emove air.
	c. Press down on the edges of the	dressing while removing the paper arou	und edges of the dressing.
	d. Sterile tape from the kit may be used to secure the edges if needed. The tape should not cover the insertion site.		
	Resident #261 was admitted to the facility in July 2024 with diagnoses which included osteomyelitis (infect of the bone) of the lumbar vertebra and pneumonia.		
	Review of the Physician's Orders in	ndicated but were not limited to the follo	owing:
	(continued on next page)		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 225437	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 07/26/2024
NAME OF PROVIDER OR SUPPLIE	ER	STREET ADDRESS, CITY, STATE, ZI	P CODE
Briarwood Rehabilitation & Healthc	care Center	150 Lincoln Street Needham, MA 02492	
For information on the nursing home's	plan to correct this deficiency, please cont	act the nursing home or the state survey	agency.
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
F 0658 Level of Harm - Minimal harm or potential for actual harm Residents Affected - Some	 -Intravenous (IV): Right arm double seven days; caps to be changed du -IV: Assess IV site for unusual redn patient diaphoresis (excessive sweavein pathway above the IV site, even vein pathway above the IV site, even vein pathway above the IV site, even vein pathway above the IV catheter is signification and the dressing is adhered with no monotes. Effective 7/17/2024. Review of the Medication Administre every shift, 19 out of 19 opportunities On 7/23/24 at 11:34 A.M., the survey which had a large white gauze under skin. The insertion site was further of On 7/24/24 at 5:00 P.M., the survey with the white gauze under the clear insertion site was further obscured ID During an interview on 7/24/24 at 5 over the PICC line so they can more On 7/24/24 at 5:17 P.M., the Survey and observed the gauze under the dressing. During an interview on 7/24/24 at 5 need to be able to see the site to m had been signing off on the MAR the During an interview on 7/24/24 at 5 and symptoms when she flushed the During an interview on 7/24/24 at 5 the dressing to be transparent to via Resident #231's PICC dressing had could not be visualized to perform the site operform the site operform to site site operform toperform to site site operform to si	lumen PICC. Change transparent dre ring dressing change. Effective date 7 ess, drainage, skin, irritation, pain at th ating), observe for tenderness or indur ry shift document in progress note. Ef- ecured well and does not slide around isture accumulation underneath it ever ation Record (MAR) indicated the abo as as ordered by the physician 7/18/20 eyor observed Resident #261's right arr er the clear dressing completely obscur obscured by the dated tape over the b vor observed Resident #261's right arm r dressing completely obscuring the P by the dated tape over the bottom of th :15 P.M., Unit Manager (UM) #1 said to itor the site every shift for redness and yor, Nurse #1, and UM #1 observed Re- clear dressing and the tape dated 7/18 :19 P.M., UM #1 said the gauze is cov onitor for signs of infection. UM #1 said at they were monitoring the site since :20 P.M., Nurse #1 said she observed	ssing on admission and then every /17/2024. The site, patient confusion, and ation when gently palpating the fective 7/17/2024. In the vein or become dislodged, y shift. Document in progress ve listed orders were completed /24 through 7/24/2024. The PICC dressing, dated 7/18, ring the PICC line insertion site an ottom of the dressing. The PICC line dressing, dated 7/18, ICC line insertion site or skin. The the dressing. The dressing. There should be a clear dressing d swelling. esident #261's PICC line dressing the tinsertion site and you d she was not aware the nurses Resident #231's admission. the insertion site today for signs sing (ADON) said she would expert or informed the ADON that dressing and the insertion site ysician. The ADON said she was

AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 225437	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 07/26/2024
NAME OF PROVIDER OR SUPPLIE Briarwood Rehabilitation & Healtho		STREET ADDRESS, CITY, STATE, ZI 150 Lincoln Street Needham, MA 02492	P CODE
For information on the nursing home's	plan to correct this deficiency, please con	l tact the nursing home or the state survey a	agency.
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFIC (Each deficiency must be preceded by	CIENCIES full regulatory or LSC identifying informati	on)
F 0658 Level of Harm - Minimal harm or potential for actual harm Residents Affected - Some	 2. Review of the facility's policy title but was not limited to the following: -Medications are administered in a -The individual administering the m medication, right dosage, right time -Each nurses' station has a current reference. Review of the facility's policy titled I was not limited to the following: -An individualized approach should -An order to crush medications may preference. -Orders to crush medications shoul resident. For example: long acting of sought. -The instructions for crushing medicadministration record (MAR/eMAR) On 7/24/24 at 9:20 A.M., the survey #211, eight of which were to be addina. Ferrous Sulfate 325 milligrams (not be adding to the source) of the source of the source) d. Acetaminophen 500 mg (2 tablet) 	ad Administering Medications, dated as safe and timely manner, and as prescr accordance with prescriber orders. edication check the label three times to a and right method (route) of administra Physician Desk Reference (PDR) and Preparation and General Guidelines, da be used when altering dosage forms to y be required or preferred in accordance d not be applied to medications which, or Enteric Coated forms should not be cations should be included on the resid so all personnel administering medications yor observed Nurse #1 prepare nine me ministered by mouth and one was a top mg) (iron supplement) (probiotic with soluble fiber additive) as) (pain relief) ease) 10 mg (long acting for enlarged p agulant)	last revised April 2019, indicated ibed. o verify the right resident, right ation before giving the medication. /or access to another medication ated November 2021, indicated bu by crushing or opening capsules. e with State regulation of facility if crushed, present a risk to the crushed; an alternative should be lent's orders and the medication tions are aware of this need. orning medications for Resident bical patch:

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 225437	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 07/26/2024
NAME OF PROVIDER OR SUPPLIER Briarwood Rehabilitation & Healthcare Center		STREET ADDRESS, CITY, STATE, ZI 150 Lincoln Street	P CODE
Bharwood renabilitation & ricalure		Needham, MA 02492	
For information on the nursing home's	plan to correct this deficiency, please con	tact the nursing home or the state survey a	agency.
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		on)
F 0658	h. Rosuvastatin 10 mg (treat high c	holesterol)	
Level of Harm - Minimal harm or potential for actual harm	i. Lidoderm 4% Pain Patch (pain)		
Residents Affected - Some	-Seven pills/tablets were put into a	medication cup and one capsule was p	out into a separate cup.
	-The seven pills/tablets were all cru	shed together, and the powder mixed	with applesauce.
	-The one capsule was opened, and the contents mixed with the applesauce.		
	Review of the [NAME] Drug Book, 19th edition, indicated the following:		
	-Ferrous Sulfate tablet should be taken with a full glass of water or juice and tablets should not be crushed or chewed.		
	-Alfuzosin was an extended-release tablet and should not be crushed.		
	-Metoprolol Succinate was an extended-release tablet and should not be crushed.		
	Review of the Physician's Orders to reconcile the medications ordered versus the medications administered indicated the following:		
	-Ferrous Sulfate 325 mg tablet was ordered but was administered crushed.		
	-Alfuzosin HCL ER 10 mg was ordered but was administered crushed.		
	-Metoprolol Succinate ER 25 mg was ordered but was administered crushed.		
		ed by the nurse to pour the Alfuzosin H he pharmacy was on the card and it rea	
	During an interview on 7/24/24 at 9:25 A.M., Nurse #1 said she crushed all the medications except the Acidophilus, she said she opened that capsule and mixed all the medications with applesauce.		
	During an interview on 7/24/24 at 1:35 P.M., Nurse #1 said she thought Ferrous Sulfate could be crushed and it was only the Slow FE (ferrous sulfate) that could not be crushed. Additionally, she said the Alfuzosin and Metoprolol Succinate are both extended release and say not to crush them, so she should not have crushed those medications, but Resident #211 had been having trouble swallowing so she had to crush the medications.		
	During an interview on 7/25/24 at 10:20 A.M., UM #1 said she thought Ferrous Sulfate could be crushed. U #1 said the Alfuzosin and Metoprolol Succinate should not have been crushed.		
	Succinate should not be crushed. S	:00 P.M., the ADON said the Ferrous S She said those medications should be a btain an order for a different medication	administered whole in applesauce
	(continued on next page)		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 225437	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 07/26/2024	
NAME OF PROVIDER OR SUPPLIE	R	STREET ADDRESS, CITY, STATE, ZII	P CODE	
Briarwood Rehabilitation & Healthca	are Center	150 Lincoln Street Needham, MA 02492		
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.				
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)			
F 0658	Refer to F759			
Level of Harm - Minimal harm or potential for actual harm				
Residents Affected - Some				

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 225437	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 07/26/2024	
NAME OF PROVIDER OR SUPPLIER Briarwood Rehabilitation & Healthcare Center		STREET ADDRESS, CITY, STATE, ZI 150 Lincoln Street Needham, MA 02492	P CODE	
For information on the nursing home's	plan to correct this deficiency, please cont	act the nursing home or the state survey	agency.	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)			
F 0698	Provide safe, appropriate dialysis c	Provide safe, appropriate dialysis care/services for a resident who requires such services.		
Level of Harm - Minimal harm or potential for actual harm	48084			
Residents Affected - Some	Based on interview and record review, the facility failed to ensure staff implemented dialysis care services consistent with professional standards of practice for one Resident (#102), out of 24 sam residents. Specifically, the facility failed for Resident #102, to provide ongoing communication beto nursing facility and dialysis facility.			
	Findings include:			
	Review of the facility's policy titled Dialysis Communication, undated, indicated but was not limited to the following:			
	-The facility and dialysis center will establish a communication and reporting mechanism to promote situational awareness between both facilities.			
	-Routine communication of relevant information will be provided by the facility to the dialysis center.			
	-The facility and dialysis center will determine a method to exchange written information between the centers on dialysis days. Examples of communication methods may include but are not limited to forms, binders, books, and copies of medical records.			
	-Examples of information that may be communicated between the facilities include: a face-sheet, hemodialysis communication form (or equivalent), Physician orders, laboratory results, weight records, and other records deemed appropriate.			
	-The dialysis center will communicate relevant information to the facility upon the resident's return to the facility.			
	-Clarification, questions, or need for additional information to or from the dialysis center may be communicated via telephone.			
	Review of the Long-Term Care Facility Coordination Agreement, dated 5/12/2015, indicated but was not limited to the following:			
	-Coordination and Communication: Both parties shall ensure there is coordination of care and communication between Long-Term Care (LTC) Facility and the End-Stage Renal Disease (ESRD) Facility.			
	-Documentation of Coordination: Both parties shall maintain documented evidence of care coordination and communication between the LTC facility and ESRD facility.			
	Resident #102 was admitted to the facility in May 2024 with diagnoses which included ESRD and dependence on renal dialysis.			

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 225437	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 07/26/2024
NAME OF PROVIDER OR SUPPLI	ER	STREET ADDRESS, CITY, STATE, ZI	P CODE
Briarwood Rehabilitation & Healthcare Center		150 Lincoln Street Needham, MA 02492	
For information on the nursing home's	plan to correct this deficiency, please con	tact the nursing home or the state survey	agency.
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		on)
F 0698 Level of Harm - Minimal harm or potential for actual harm	Review of the Minimum Data Set (MDS) assessment, dated 5/23/24, indicated Resident #102 was cognitively intact as evidenced by a score of 12 out of 15 on the Brief Interview for Mental Status (BIMS) an he/she received dialysis services.		
Residents Affected - Some	Review of the Comprehensive Care primary language was not English.	e Plan indicated Resident #102 require	d interpreter services because their
	Review of the Dialysis Communication Book indicated but was not limited to the following:		
	-Resident #102 had dialysis three times a week.		
	-Face sheet, Advanced Directives and Physician Orders from May 2024.		
	-Blank Copies of the Dialysis/Observation Communication Form (only page 1 of 3).		
	May 2024: of six treatment dates, the following information was in the binder:		
	-5/22/24 the three-page communication form was incomplete; a recommendation was made and implemented.		
	-5/27/24 the three-page communication form was blank except for a weight in the top right corner.		
	June 2024: of 12 treatment dates, the following information was in the binder:		
	-6/3/24 the three-page communication form was filled out by the LTC facility with no return documentation from the dialysis facility.		
	-6/19/24 the three-page communication form was filled out by the LTC facility with no return documentation from the dialysis facility.		
	-6/26/24 the three-page communication form was not in the binder; only page 1 of 3 was in the binder and it form was filled out by the LTC facility with no return documentation from the dialysis facility.		
	July 2024: of 11 treatment dates, the following information was in the binder:		
	-7/8/24 lab results print out from the ESRD facility; a recommendation was made and implemented.		
	-7/24/24 the three-page communication form was not in the binder; only page 1 of 3 was in the binder and it form was filled out by the LTC facility with no return documentation from the dialysis facility.		
	Further review of the binder failed to indicate ongoing written communication between the LTC and dialysis facility to coordinate care.		
	Review of the weight record indicat time.	ed post-dialysis weights were docume	nted 17 of 29 times, or 59% of the
	(continued on next page)		

Printed: 05/29/2025 Form Approved OMB No. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 225437	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 07/26/2024
NAME OF PROVIDER OR SUPPLIER Briarwood Rehabilitation & Healthcare Center		STREET ADDRESS, CITY, STATE, ZI 150 Lincoln Street Needham, MA 02492	P CODE
For information on the nursing home's	plan to correct this deficiency, please con	tact the nursing home or the state survey	agency.
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFIC (Each deficiency must be preceded by	CIENCIES full regulatory or LSC identifying informati	on)
F 0698 Level of Harm - Minimal harm or potential for actual harm Residents Affected - Some	Review of the Nursing Progress Not the dialysis facility regarding the tre- notes noting communication betwe During an interview on 7/25/24 at 1 is supposed to go with Resident #1 page and the dialysis center should sheet doesn't always come back or come back with the sheet filled out said all communication forms should During an interview on 7/25/24 at 2 communication sheet everyday Re- report back. He said the dialysis ce said if they even send a weight bac usually work the evening shift wher nurse should be calling for the repor dialysis center. During an interview on 7/25/24 at 3 communication book to the dialysis problem, but the daily communicati communication sheets filled out an- She said the weights are often just corporate form and it should probal page should be filled out by us and should be made and a progress no days of communication missing and During a follow up interview on 7/25/24 cm communication is not good. She sai	otes failed to indicate ongoing commune the atments. Further review of the progress en the LTC facility and the ESRD facilit 0:21 A.M., Unit Manager (UM) #1 said 02 for every treatment. She said the nu d be documenting on page 2, the post to weights are just on a post it/sticky not staff should be calling to get report and ld be in the binder and did not know whet conter is terrible with return communication existent #102 has a treatment, and the conter is terrible with return communication is dent #102 returns, but said if the ort and writing a progress note. He said coo P.M., the Assistant Director of Nurse conter, and they do not always return on is not good. She said she was unsud d the dialysis center was taking them o on a sticky note. She said the three-pa bly be revised as it is too confusing and the second page by the dialysis cente te written, but this does not always hap d the communication should be better. 5/24 at 3:40 P.M., UM #1 said she doct te if they send one or she will call to ge and the dialysis center will call if there is olerated the procedure routinely or ans	ication between the LTC facility and s notes indicated two progress by had occurred. the Dialysis Communication Book urses should be completing the first reatment report. UM #1 said the e. She said if he/she does not d the weight and documenting. She by it was missing so many sheets. e supposed to fill out the enter is supposed to send the on and it is very inconsistent. He is no report. He said he does not report didn't come back, then the he has never spoken to the ses (ADON) said they send the it. She said they call us if there is a re if the nurses were sending the ut or where the breakdown was. ge communication sheet is a d too long. The ADON said the first r and if it was not done a call open. She said there were many uments the post-weights in the t the weight, but the daily a significant problem and do not

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 225437	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 07/26/2024
NAME OF PROVIDER OR SUPPLIER		STREET ADDRESS, CITY, STATE, ZI	P CODE
Briarwood Rehabilitation & Healtho	care Center	150 Lincoln Street Needham, MA 02492	
For information on the nursing home's	plan to correct this deficiency, please con	tact the nursing home or the state survey	agency.
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
F 0759	Ensure medication error rates are not 5 percent or greater.		
Level of Harm - Minimal harm or potential for actual harm	**NOTE- TERMS IN BRACKETS H	AVE BEEN EDITED TO PROTECT CO	ONFIDENTIALITY** 48084
Residents Affected - Some	free of a medication error rate of fiv	viewed, policy review, and interviews, t re percent or greater when one of five r error rate of 14.81%. These errors imp	nurses made four errors in 27
	Findings include:		
	Review of the facility's policy titled Administering Medications, dated as last revised April 2019, indicated but was not limited to the following:		
	-Medications are administered in a safe and timely manner, and as prescribed.		
	-Medications are administered in accordance with prescriber orders.		
	-The individual administering the medication check the label three times to verify the right resident, right medication, right dosage, right time, and right method (route) of administration before giving the medication.		
	-Each nurses' station has a current Physician Desk Reference (PDR) and/or access to another medication reference.		
	Review of the facility's policy titled Preparation and General Guidelines, dated November 2021, indicated but was not limited to the following:		
	-An individualized approach should be used when altering dosage forms by crushing or opening capsules.		
	-An order to crush medications may be required or preferred in accordance with State regulation of facility preference.		
	-Orders to crush medications should not be applied to medications which, if crushed, present a risk to the resident. For example: long acting or Enteric Coated forms should not be crushed; an alternative should be sought.		
	-The instructions or crushing medications should be included on the resident's orders and the medication administration record (MAR/eMAR) so all personnel administering medications are aware of this need.		
	On 7/24/24 at 9:20 A.M., the surveyor observed Nurse #1 prepare nine morning medications for Resident #211, eight of which were to be administered by mouth and one was a topical patch:		
	a. Ferrous Sulfate 325 milligrams (mg) (iron supplement)		
	b. Acidophilus with Pectin capsule	(probiotic with soluble fiber additive)	
	(continued on next page)		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (XI) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 225437 (X2) MULTIPLE CONSTRUCTION A. Building B. Wing (X2) ADTE SURVEY COMPLETED 7/26/2024 NAME OF PROVIDER OR SUPPLIER Briarwood Rehabilitation & Healthcare Center STREET ADDRESS, CITY, STATE, ZIP CODE 150 Lincoln Street Needham, MA 02492 For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency. SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information) F 0759 c. Loratadine 10 mg (allergies) Level of Harm - Minimal harm or potential for actual harm Residents Affected - Some d. Acetaminophen 500 mg (2 tablets) (pain relief) e. Alfuzosin HCL ER (extended release) 10 mg (long acting for blood pressure) h. Rosuvastatin 10 mg (reat high cholesterol) i. Lidodem 4% Pain Patch (pain) 9. Metoprotol Succinate ER 25 mg (long acting for blood pressure) h. Rosuvastatin 10 mg (reat high cholesterol) i. Lidodem 4% Pain Patch (pain) -The one capsule was opened, and the contents mixed with the applesauce. -The one capsule was opened, and the contents mixed with the applesauce. -The one capsule was opened, and the contents mixed with the applesauce. -The one capsule was opened, and the contents mixed with the applesauce. -The void ophilus did not contain Pectin. -Perrous Sulfate tablet should be taken with a full glass of water or juice and tablets should not be crushed. -Affuzosin was an extended-release tablet and should not be crushed. -Affuzosin was an extended-release tablet and should not be crushed. -Aedtophilus Capsule 10 mg once daily was ordered but Acidop				
Briarwood Rehabilitation & Healthture Center 150 Lincoln Street Needham, MA 02492 For information on the nursing home to correct this deficiency, please contact the nursing home or the state survey agency. [X4) ID PREFIX TAG SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information) F 0759 c. Loratadine 10 mg (allergies) Level of Harm - Minimal harm or potential for actual harm Residents Affected - Some d. Acetaminophen 500 mg (2 tablets) (pain relief) e. Alfuzosin HCL ER (extended release) 10 mg (long acting for enlarged prostate) f. Eliquis 2.5 mg (2 tablets) (anticoagulant) g. Metoprolol Succinate ER 25 mg (long acting for blood pressure) h. Rosuvastatin 10 mg (treat high cholesterol) i. Liddoerm 4% Pain Patch (pain) -Seven pills/tablets were put into a medication cup and one capsule was put into a separate cup. -The one capsule was opened, and the contents mixed with the applesauce. -The one capsule was opened, and the contents mixed with the applesauce. Review of the [NAME] Drug Book, 19th edition, indicated the following: -Acidophilus did not contain Pectin. -Ferrous Sulfate tablet should be taken with a full glass of water or juice and tablets should not be crushed. -Alfuzosin was an extended-release tablet and should not be crushed. -Alfuzosin was an extended-release tablet and should not be crushed. -Alfuzosin was an extended-release tablet and sh				
Brianwood Rehabilitation & Healthcare Center 150 Lincoln Street Needham, MA 02492 For information on the nursing home's but to correct this deficiency, please contact the nursing home or the state survey agency. (X4) ID PREFIX TAG SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information) F 0759 c. Loratadine 10 mg (allergies) Level of Harm - Minimal harm or potential for actual harm d. Acetaminophen 500 mg (2 tablets) (pain relief) Residents Affected - Some e. Alfuzosin HCL ER (extended release) 10 mg (long acting for enlarged prostate) f. Eliquis 2.5 mg (2 tablets) (anticoagulant) g. Metoprolol Succinate ER 25 mg (long acting for blood pressure) h. Rosuvastatin 10 mg (treat high cholesterol) i. Lidoderm 4% Pain Patch (pain) -Seven pills/tablets were put into a medication cup and one capsule was put into a separate cup. -The one capsule was opened, and the contents mixed with the applesauce. Review of the [NAME] Drug Book, 19th edition, indicated the following: -Acidophilus did not contain Pectin. -Ferrous Sulfate tablet should be taken with a full glass of water or juice and tablets should not be crushed. -Alfuzosin was an extended-release tablet and should not be crushed. -Alfuzosin's Orders to reconcile the medications ordered versus the medications adminindicated the following four errors:				
(X4) ID PREFIX TAG SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information) F 0759 c. Loratadine 10 mg (allergies) d. Acetaminophen 500 mg (2 tablets) (pain relief) Residents Affected - Some d. Acetaminophen 500 mg (2 tablets) (pain relief) e. Alfuzosin HCL ER (extended release) 10 mg (long acting for enlarged prostate) f. Eliquis 2.5 mg (2 tablets) (anticoagulant) g. Metoprolol Succinate ER 25 mg (long acting for blood pressure) h. Rosuvastatin 10 mg (treat high cholesterol) i. Lidoderm 4% Pain Patch (pain) -Seven pills/tablets were put into a medication cup and one capsule was put into a separate cup. -The seven pills/tablets were all crushed together, and the powder mixed with applesauce. Review of the [NAME] Drug Book, 19th edition, indicated the following: -Acidophilus did not contain Pectin. -Ferrous Sulfate tablet should be taken with a full glass of water or juice and tablets should not be cruchewed. -Alfuzosin was an extended-release tablet and should not be crushed. Review of the Physician's Orders to reconcile the medications ordered versus the medications adminindicated the following four errors:				
Each deficiency must be preceded by full regulatory or LSC identifying information) F 0759 c. Loratadine 10 mg (allergies) Level of Harm - Minimal harm or potential for actual harm d. Acetaminophen 500 mg (2 tablets) (pain relief) Residents Affected - Some d. Acetaminophen 500 mg (2 tablets) (pain relief) e. Alfuzosin HCL ER (extended release) 10 mg (long acting for enlarged prostate) f. Eliquis 2.5 mg (2 tablets) (anticoagulant) g. Metoprolol Succinate ER 25 mg (long acting for blood pressure) h. Rosuvastatin 10 mg (treat high cholesterol) i. Lidoderm 4% Pain Patch (pain) -Seven pills/tablets were put into a medication cup and one capsule was put into a separate cup. -The seven pills/tablets were all crushed together, and the powder mixed with applesauce. -The one capsule was opened, and the contents mixed with the applesauce. Review of the [NAME] Drug Book, 19th edition, indicated the following: -Acidophilus did not contain Pectin. -Ferrous Sulfate tablet should be taken with a full glass of water or juice and tablets should not be crushed. -Metoprolol Succinate was an extended-release tablet and should not be crushed. -Metoprolol Succinate was an extended-release tablet and should not be crushed. -Metoprolol Succinate was an extended-release tablet and should not be crushed. Review of the Physician's Orders to reconcile the medicatio				
Level of Harm - Minimal harm or potential for actual harm d. Acetaminophen 500 mg (2 tablets) (pain relief) Residents Affected - Some d. Acetaminophen 500 mg (2 tablets) (pain relief) e. Alfuzosin HCL ER (extended release) 10 mg (long acting for enlarged prostate) f. Eliquis 2.5 mg (2 tablets) (anticoagulant) g. Metoprolol Succinate ER 25 mg (long acting for blood pressure) h. Rosuvastatin 10 mg (treat high cholesterol) i. Lidoderm 4% Pain Patch (pain) -Seven pills/tablets were put into a medication cup and one capsule was put into a separate cup. -The seven pills/tablets were all crushed together, and the powder mixed with applesauce. Review of the [NAME] Drug Book, 19th edition, indicated the following: -Acidophilus did not contain Pectin. -Ferrous Sulfate tablet should be taken with a full glass of water or juice and tablets should not be crushed. -Alfuzosin was an extended-release tablet and should not be crushed. Review of the Physician's Orders to reconcile the medications ordered versus the medications adminindicated the following four errors:				
potential for actual harm e. Alfuzosin HCL ER (extended release) 10 mg (long acting for enlarged prostate) Residents Affected - Some f. Eliquis 2.5 mg (2 tablets) (anticoagulant) g. Metoprolol Succinate ER 25 mg (long acting for blood pressure) h. Rosuvastatin 10 mg (treat high cholesterol) i. Lidoderm 4% Pain Patch (pain) -Seven pills/tablets were put into a medication cup and one capsule was put into a separate cup. -The seven pills/tablets were all crushed together, and the powder mixed with applesauce. -The one capsule was opened, and the contents mixed with the applesauce. -The one capsule was opened, and the contents mixed with the applesauce. -Ferrous Sulfate tablet should be taken with a full glass of water or juice and tablets should not be cruchewed. -Alfuzosin was an extended-release tablet and should not be crushed. -Metoprolol Succinate was an extended-release tablet and should not be crushed. Review of the Physician's Orders to reconcile the medications ordered versus the medications adminindicated the following four errors:				
Residents Affected - Some e. Alfuzosin HCL ER (extended release) 10 mg (long acting for enlarged prostate) f. Eliquis 2.5 mg (2 tablets) (anticoagulant) g. Metoprolol Succinate ER 25 mg (long acting for blood pressure) h. Rosuvastatin 10 mg (treat high cholesterol) i. Lidoderm 4% Pain Patch (pain) - Seven pills/tablets were put into a medication cup and one capsule was put into a separate cup. - The seven pills/tablets were all crushed together, and the powder mixed with applesauce. - The one capsule was opened, and the contents mixed with the applesauce. Review of the [NAME] Drug Book, 19th edition, indicated the following: - Acidophilus did not contain Pectin. - Ferrous Sulfate tablet should be taken with a full glass of water or juice and tablets should not be cruchewed. - Alfuzosin was an extended-release tablet and should not be crushed. Review of the Physician's Orders to reconcile the medications ordered versus the medications adminindicated the following four errors:				
 f. Eliquis 2.5 mg (2 tablets) (anticoagulant) g. Metoprolol Succinate ER 25 mg (long acting for blood pressure) h. Rosuvastatin 10 mg (treat high cholesterol) i. Lidoderm 4% Pain Patch (pain) Seven pills/tablets were put into a medication cup and one capsule was put into a separate cup. The seven pills/tablets were all crushed together, and the powder mixed with applesauce. The one capsule was opened, and the contents mixed with the applesauce. Review of the [NAME] Drug Book, 19th edition, indicated the following: -Acidophilus did not contain Pectin. -Ferrous Sulfate tablet should be taken with a full glass of water or juice and tablets should not be cruchewed. -Alfuzosin was an extended-release tablet and should not be crushed. -Metoprolol Succinate was an extended-release tablet and should not be crushed. Review of the Physician's Orders to reconcile the medications ordered versus the medications adminindicated the following four errors: 	e. Alfuzosin HCL ER (extended release) 10 mg (long acting for enlarged prostate)			
 h. Rosuvastatin 10 mg (treat high cholesterol) i. Lidoderm 4% Pain Patch (pain) -Seven pills/tablets were put into a medication cup and one capsule was put into a separate cup. -The seven pills/tablets were all crushed together, and the powder mixed with applesauce. -The one capsule was opened, and the contents mixed with the applesauce. Review of the [NAME] Drug Book, 19th edition, indicated the following: -Acidophilus did not contain Pectin. -Ferrous Sulfate tablet should be taken with a full glass of water or juice and tablets should not be cruchewed. -Alfuzosin was an extended-release tablet and should not be crushed. Review of the Physician's Orders to reconcile the medications ordered versus the medications admini indicated the following four errors: 	f. Eliquis 2.5 mg (2 tablets) (anticoagulant)			
 i. Lidoderm 4% Pain Patch (pain) Seven pills/tablets were put into a medication cup and one capsule was put into a separate cup. The seven pills/tablets were all crushed together, and the powder mixed with applesauce. The one capsule was opened, and the contents mixed with the applesauce. Review of the [NAME] Drug Book, 19th edition, indicated the following: -Acidophilus did not contain Pectin. -Ferrous Sulfate tablet should be taken with a full glass of water or juice and tablets should not be cruchewed. -Alfuzosin was an extended-release tablet and should not be crushed. -Metoprolol Succinate was an extended-release tablet and should not be crushed. Review of the Physician's Orders to reconcile the medications ordered versus the medications adminindicated the following four errors: 	g. Metoprolol Succinate ER 25 mg (long acting for blood pressure)			
 -Seven pills/tablets were put into a medication cup and one capsule was put into a separate cup. -The seven pills/tablets were all crushed together, and the powder mixed with applesauce. -The one capsule was opened, and the contents mixed with the applesauce. Review of the [NAME] Drug Book, 19th edition, indicated the following: -Acidophilus did not contain Pectin. -Ferrous Sulfate tablet should be taken with a full glass of water or juice and tablets should not be cruchewed. -Alfuzosin was an extended-release tablet and should not be crushed. -Metoprolol Succinate was an extended-release tablet and should not be crushed. Review of the Physician's Orders to reconcile the medications ordered versus the medications adminindicated the following four errors: 	h. Rosuvastatin 10 mg (treat high cholesterol)			
 -The seven pills/tablets were all crushed together, and the powder mixed with applesauce. -The one capsule was opened, and the contents mixed with the applesauce. Review of the [NAME] Drug Book, 19th edition, indicated the following: -Acidophilus did not contain Pectin. -Ferrous Sulfate tablet should be taken with a full glass of water or juice and tablets should not be cruchewed. -Alfuzosin was an extended-release tablet and should not be crushed. -Metoprolol Succinate was an extended-release tablet and should not be crushed. Review of the Physician's Orders to reconcile the medications ordered versus the medications adminindicated the following four errors: 	i. Lidoderm 4% Pain Patch (pain)			
 -The one capsule was opened, and the contents mixed with the applesauce. Review of the [NAME] Drug Book, 19th edition, indicated the following: -Acidophilus did not contain Pectin. -Ferrous Sulfate tablet should be taken with a full glass of water or juice and tablets should not be cruchewed. -Alfuzosin was an extended-release tablet and should not be crushed. -Metoprolol Succinate was an extended-release tablet and should not be crushed. Review of the Physician's Orders to reconcile the medications ordered versus the medications adminimized the following four errors: 	-Seven pills/tablets were put into a medication cup and one capsule was put into a separate cup.			
 Review of the [NAME] Drug Book, 19th edition, indicated the following: -Acidophilus did not contain Pectin. -Ferrous Sulfate tablet should be taken with a full glass of water or juice and tablets should not be cruchewed. -Alfuzosin was an extended-release tablet and should not be crushed. -Metoprolol Succinate was an extended-release tablet and should not be crushed. Review of the Physician's Orders to reconcile the medications ordered versus the medications adminimized the following four errors: 	-The seven pills/tablets were all crushed together, and the powder mixed with applesauce.			
 -Acidophilus did not contain Pectin. -Ferrous Sulfate tablet should be taken with a full glass of water or juice and tablets should not be cruchewed. -Alfuzosin was an extended-release tablet and should not be crushed. -Metoprolol Succinate was an extended-release tablet and should not be crushed. Review of the Physician's Orders to reconcile the medications ordered versus the medications adminimized the following four errors: 	-The one capsule was opened, and the contents mixed with the applesauce.			
 -Ferrous Sulfate tablet should be taken with a full glass of water or juice and tablets should not be cruchewed. -Alfuzosin was an extended-release tablet and should not be crushed. -Metoprolol Succinate was an extended-release tablet and should not be crushed. Review of the Physician's Orders to reconcile the medications ordered versus the medications admini indicated the following four errors: 	Review of the [NAME] Drug Book, 19th edition, indicated the following:			
chewed. -Alfuzosin was an extended-release tablet and should not be crushed. -Metoprolol Succinate was an extended-release tablet and should not be crushed. Review of the Physician's Orders to reconcile the medications ordered versus the medications admini indicated the following four errors:	-Acidophilus did not contain Pectin.			
-Metoprolol Succinate was an extended-release tablet and should not be crushed. Review of the Physician's Orders to reconcile the medications ordered versus the medications admining indicated the following four errors:	-Ferrous Sulfate tablet should be taken with a full glass of water or juice and tablets should not be crushed or chewed.			
Review of the Physician's Orders to reconcile the medications ordered versus the medications admini indicated the following four errors:	-Alfuzosin was an extended-release tablet and should not be crushed.			
indicated the following four errors:				
-Acidophilus Capsule 10 mg once daily was ordered but Acidophilus with Pectin was administered.	istered			
	-Acidophilus Capsule 10 mg once daily was ordered but Acidophilus with Pectin was administered.			
-Ferrous Sulfate 325 mg tablet was ordered but was administered crushed.	-Ferrous Sulfate 325 mg tablet was ordered but was administered crushed.			
-Alfuzosin HCL ER 10 mg was ordered but was administered crushed.	-Alfuzosin HCL ER 10 mg was ordered but was administered crushed.			
-Metoprolol Succinate ER 25 mg was ordered but was administered crushed.	-Metoprolol Succinate ER 25 mg was ordered but was administered crushed.			
Review of the medication cards used by the nurse to prepare the Alfuzosin HCL ER and Metoprolol Succinate ER indicated that a green sticker from the pharmacy was on the card and it read SWALLOW WHOLE DO NOT CRUSH OR CHEW.	W			
During an interview on 7/24/24 at 9:25 A.M., Nurse #1 said she crushed all the medications except the Acidophilus, she said she opened that capsule and mixed all the medications with applesauce.	e			
(continued on next page)				

Printed: 05/29/2025 Form Approved OMB No. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 225437	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 07/26/2024	
NAME OF PROVIDER OR SUPPLIE Briarwood Rehabilitation & Healthc		STREET ADDRESS, CITY, STATE, ZIP CODE 150 Lincoln Street Needham, MA 02492		
For information on the nursing home's	plan to correct this deficiency, please con	l tact the nursing home or the state survey a	agency.	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFIC (Each deficiency must be preceded by	CIENCIES full regulatory or LSC identifying informati	on)	
F 0759 Level of Harm - Minimal harm or potential for actual harm Residents Affected - Some	During an interview on 7/24/24 at 1 had in the facility, and she thought Sulfate could be crushed and it was Additionally, she said the Alfuzosin them, so she should not have crush swallowing so she had to crush the During an interview on 7/25/24 at 1 be crushed. Additionally, she said t basically the same thing. She said 1 and Metoprolol Succinate should no During an interview on 7/25/24 at 3 Sulfate, Alfuzosin, and Metoprolol S administered whole in applesauce	 :35 P.M., Nurse #1 said the Acidophilu it was the same as regular Acidophilus s only the Slow FE (ferrous sulfate) tha and Metoprolol Succinate are both ext hed those medications, but Resident #2 medications. 0:20 A.M., Unit Manager (UM) #1 said he Acidophilus with Pectin is the only of the Pectin just helps hold the capsule t of have been crushed. 0:00 P.M., the Assistant Director of Nurs Succinate should not be crushed. She s or pudding or they would need to obtain <i>v</i>ith Pectin is not the same as Acidophil 	s with Pectin was the only one they . She said she thought Ferrous t could not be crushed. ended release and say not to crush 211 had been having trouble she thought Ferrous Sulfate could one they have in the facility, and it is ogether. UM #1 said the Alfuzosin se (ADON) said the Ferrous said those medications should be n an order for a different	

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 225437	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 07/26/2024	
NAME OF PROVIDER OR SUPPLIER Briarwood Rehabilitation & Healthcare Center		STREET ADDRESS, CITY, STATE, ZIP CODE 150 Lincoln Street Needham, MA 02492		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)			
F 0880	Provide and implement an infection	prevention and control program.		
Level of Harm - Minimal harm or potential for actual harm	**NOTE- TERMS IN BRACKETS HAVE BEEN EDITED TO PROTECT CONFIDENTIALITY** 15214			
Residents Affected - Some	Based on record review and interview, the facility failed to ensure that the COVID-19 testing policy was followed during a COVID-19 outbreak. Specifically, the facility failed to conduct 48-hour testing intervals for residents and staff in accordance with its COVID-19 testing requirements policy.			
	Findings include:			
	Review of the facility's Infection Control program policy for COVID-19 Testing Requirements-MA, last revised 5/11/23, indicated but was not limited to the following:			
	Outbreak Testing:			
		tified, the facility will test exposed resid facility goes 7 days without a new case		
	During an interview on 7/26/24 at 9:33 A.M., the Infection Preventionist (IP) said that the facility experienced a COVID-19 outbreak on the [NAME] Unit on 6/26/24, where two residents tested positive. She said that 6/26/24 was Day 0. The IP said that she had not received additional guidance or recommendations from a DPH epidemiologist in regard to testing for COVID, so the facility followed their policy for outbreak testing.			
	Review of the IP's testing schedule of residents on the [NAME] Unit during the COVID-19 outbreak indicated testing was not conducted every 48 hours on the affected unit until the facility goes 7 days without a new case as follows:			
	6/24/24- Two residents test COVID-19 positive; all residents tested			
	6/26/24- One resident tested who w not tested .	vas showing signs/symptoms of COVID	0-19. The remaining residents were	
	6/27/24- All residents tested on the [NAME] Unit, 4 residents tested positive for COVID-19			
	6/29/24- All residents tested on the [NAME] Unit, a total of 13 residents tested positive for COVID-19			
	7/1/24- All residents tested on the [NAME] Unit, 13 residents tested positive for COVID-19			
	7/3/24- Log does not reflect that residents were tested			
	7/5/24- All residents tested on the [NAME] Unit, 7 residents tested positive for COVID-19			
	7/7/24- No evidence that residents	were tested		
	7/8/24- All residents tested on the [NAME] Unit, 4 Residents tested positiv	e for COVID-19	
	(continued on next page)			

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 225437	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 07/26/2024	
NAME OF PROVIDER OR SUPPLIE Briarwood Rehabilitation & Healtho		STREET ADDRESS, CITY, STATE, ZIP CODE 150 Lincoln Street Needham, MA 02492		
For information on the nursing home's	plan to correct this deficiency, please con	l tact the nursing home or the state survey	agency.	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFIC (Each deficiency must be preceded by	CIENCIES full regulatory or LSC identifying informati	on)	
F 0880 Level of Harm - Minimal harm or potential for actual harm Residents Affected - Some	During an interview on 7/26/24 at 1 Unit residents were tested for COV Review of Staff testing logs for COV indicated that staff testing was cond 6/24/24- All staff on the [NAME] Uni 6/26/24- No testing conducted as re 6/27/24- All staff on the [NAME] Uni 6/29/24- All staff on the [NAME] Uni 7/1/24- All staff on the [NAME] Unit During an interview on 7/26/24 at 1 demonstrate that COVID-19 testing the facility policy or that all staff wh 48 hours after the initial outbreak te During an interview on 7/26/24 at 1	it were tested for COVID-19, no positive equired. It were tested for COVID-19, no positive were tested for COVID-19, no positive were tested for COVID-19, no positive 2:48 P.M., the IP said that she could n g had been conducted on 7/7/24 on the o worked on the [NAME] Unit had beer	hager said that all of the [NAME] remained positive. //24. The facility testing schedule //es were detected. //es were detected //es were detected //es were detected //es were detected //es were detected	